

Prices 01.09.2024 / Thermokynnys HD-plus standard treshold without heating system

Length mm	Width mm	Thicknes s mm	Material	Weight kg (4.8 kg/m)	Mountings mm/center	Price € (vat 0%)	Price € (vat 25,5%)	Shipping € (vat 0%)	Shipping € (vat 25,5%)
2500	20*150*30	3	Acid-proof stainless steel (AISI316)	12	Stainless rebar 7/400	402,42	505,04	74,00	92,87
3200	20*150*30	3	Acid-proof stainless steel (AISI316)	14,4	Stainless rebar 7/400	483,06	606,24	76,00	95,38
4500	20*150*30	3	Acid-proof stainless steel (AISI316)	21,6	Stainless rebar 7/400	926,61	1162,90	79,36	99,60
6000	20*150*30	3	Acid-proof stainless steel (AISI316)	28,8	Stainless rebar 7/400	1128,23	1415,93	79,36	99,60
								Additional home delivery cost	
								63,40	79,57



If mountings 600mm - ask for shipping costs

Prices 01.09.2024 / Thermokynnys HD-plus standard treshold with a heating system

Length mm	Width mm	Thicknes s mm	Material	Weight kg (4.8 kg/m)	Mountings mm/center	Price € (vat 0%)	Price € (vat 25,5%)	Shipping € (vat 0%)	Shipping € (vat 25,5%)
2500	20*150*30	3	Acid-proof stainless steel (AISI316)	12	Stainless rebar 7/400	1180,72	1481,80	74,00	92,87
3200	20*150*30	3	Acid-proof stainless steel (AISI316)	14,4	Stainless rebar 7/400	1368,69	1717,71	76,00	95,38
4500	20*150*30	3	Acid-proof stainless steel (AISI316)	21,6	Stainless rebar 7/400	1941,60	2436,71	79,36	99,60
6000	20*150*30	3	Acid-proof stainless steel (AISI316)	28,8	Stainless rebar 7/400	2267,87	2846,18	79,36	99,60
								Additional home delivery cost	
								63,40	79,57



If mountings 600mm - ask for shipping costs

Prices 01.09.2024 / Thermokynnys HD standard treshold (S235JRC) without heating system

Length mm	Width mm	Thicknes s mm	Material	Weight kg (4.8 kg/m)	Mountings mm/center	Price € (vat 0%)	Price € (vat 25,5%)	Shipping € (vat 0%)	Shipping € (vat 25,5%)
2500	20*150*30	3	Steel S235JRC	12	Rebar 8/400	342,74	430,14	74,00	92,87
3200	20*150*30	3	Steel S235JRC	14,4	Rebar 8/400	434,68	545,52	76,00	95,38
4500	20*150*30	3	Steel S235JRC	21,6	Rebar 8/400	579,84	727,70	79,36	99,60
6000	20*150*30	3	Steel S235JRC	28,8	Rebar 8/400	725,00	909,88	79,36	99,60
								Additional home delivery cost	
								63,40	79,57



If mountings 600mm - ask for shipping costs

Prices 01.09.2024 / Thermokynnys HD standard treshold (S235JRC) with a heating system

Length mm	Width mm	Thicknes s mm	Material	Weight kg (4.8 kg/m)	Mountings mm/center	Price € (vat 0%)	Price € (vat 25,5%)	Shipping € (vat 0%)	Shipping € (vat 25,5%)
2500	20*150*30	3	Steel S235JRC	12	Rebar 8/400	1118,06	1403,17	74,00	92,87
3200	20*150*30	3	Steel S235JRC	14,4	Rebar 8/400	1314,99	1650,31	76,00	95,38
4500	20*150*30	3	Steel S235JRC	21,6	Rebar 8/400	1467,16	1841,29	79,36	99,60
6000	20*150*30	3	Steel S235JRC	28,8	Rebar 8/400	1816,28	2279,43	79,36	99,60
								Additional home delivery cost	
								63,40	79,57



If mountings 600mm - ask for shipping costs

Prices 01.09.2024 / Acid-proof stainless steel (AISI316) edge reinforcement for Thermokynnsys

Length mm	Width mm	Thicknes s mm	Material	Weight kg (2,74 kg/m)	Mountings mm/center	Price € (vat 0%)	Price € (vat 25,5%)	Shipping € (vat 0%)	Shipping € (vat 25,5%)
2500	50*50	3	Acid-proof stainless steel (AISI316)	5,9	Stainless rebar 7/400	257,26	322,86	44,14	55,40
3200	50*50	3	Acid-proof stainless steel (AISI316)	7,1	Stainless rebar 7/400	321,77	403,82	46,00	57,73
4500	50*50	3	Acid-proof stainless steel (AISI316)	10,6	Stainless rebar 7/400	418,55	525,28	47,36	59,44
6000	50*50	3	Acid-proof stainless steel (AISI316)	14,2	Stainless rebar 7/400	515,32	646,73	47,36	305,65
								Additional home delivery cost	
								63,40	79,57



Prices 01.09.2024 / Hot-dip galvanized carbon steel (S235JRC) edge reinforcement for Thermokynnsys

Length mm	Width mm	Thicknes s mm	Material	Weight kg (2,74 kg/m)	Mountings mm/center	Price € (vat 0%)	Price € (vat 25,5%)	Shipping € (vat 0%)	Shipping € (vat 25,5%)
2500	50*50	3	Steel S235JRC	5,9	Rebar 8/400	192,74	241,89	44,14	55,40
3200	50*50	3	Steel S235JRC	7,1	Rebar 8/400	233,06	292,49	46,00	57,73
4500	50*50	3	Steel S235JRC	10,6	Rebar 8/400	305,65	383,59	47,36	59,44
6000	50*50	3	Steel S235JRC	14,2	Rebar 8/400	370,16	464,55	47,36	59,44
								Additional home delivery cost	
								63,40	79,57



Prices 01.09.2024 / Thermokynnsys Lite standard treshold hot-dip galvanized carbon steel (S235JRC) without heating system

Length mm	Width mm	Thicknes s mm	Material	Weight kg (3,07 kg/m)	Mountings mm/center	Price € (vat 0%)	Price € (vat 25,5%)	Shipping € (vat 0%)	Shipping € (vat 25,5%)
2500	60*40	3	Steel S235JRC	7,7	Rebar 8/400	257,26	322,86	44,14	55,40
3200	60*40	3	Steel S235JRC	9,8	Rebar 8/400	321,77	403,82	46,00	57,73
								Additional home delivery cost	
								63,40	79,57



If mountings 600mm - ask for shipping costs